

BOCAI

Machinery Equipment



Drinking system equipment
Feeding system equipment
Animal Identification

宁波搏才机械设备有限公司
NINGBO BOCAI MACHINERY EQUIPMENT CO., LTD.

地址：浙江省慈溪市龙山镇龙江路13号
ADD : No.13, Longjiang Road, Longshan town, Cixi city,
Zhejiang, China
电话(TEL) : 0574-63770862 传真(FAX) : 0574-63770862
邮箱(E-mail) : jasmine@bocaiagro.com



WWW.BOCAIAGRO.COM

Stainless bracket
Ear tag and tool
Warmmer system



We pursure high quality products, perfect servive and competitive price for our customers.



致力于提供给客户高质量的产品，最好的服务和有竞争力的价格。

We pursue high quality products, perfect service and competitive price for our customers.

搏才机械



Company Profile 企业简介



宁波搏才机械设备有限公司是一家专业从事机械设备的公司，公司有10多年的生产经验，主要生产不锈钢饮水碗，补料槽，塑料板等配件，各类工具，标识产品等。

这么多年来公司一直致力于提供高质量的产品给客户，为客户提供最好的服务，并通过一系列创新产品提高客户的运营效率和降低成本。

Ningbo Bocai Machinery Equipment Co., Ltd. is a company specialized in animal husbandry machinery and equipment. The company has more than 10 years of production experience. It mainly produces are stainless drinking bowls, feeding troughs, plastic slat floor and other accessories, various tools, identification tags and optical fiber etc.

Over the years, the company has been committed to providing high-quality products to customers, providing customers with the best service. We will through a series of innovative products to improve customer operating efficiency and reduce costs.

CONTENTS 目录

“通过一系列创新产品提高客户的运营效率和降低成本”

01	03	05	07	09	10	11	12	13	15	17	18	19	20
不锈钢猪用饮水碗 Stainless Water Bowl For Pig	动物标识和耳标钳 Animal Identification and ear tag plier	保温灯 Warmer Lamp	塑料漏缝板 Plastic Slat Floor	不锈钢支架 Stainless Bracket	喂食槽及固定件 Feeder and Fixture	母猪食槽及喂食槽 Feeder for sow and stainless sink	猪用饮水器 Nipple Drinker	水位器及饮水盆 Water level controller and drinking bowl	兽医器械和工具 Veterinary equipment and Tools	冷藏箱 Cool Box	喂料设备 Feeding Equipment	畜牧机械 Livestock Machinery	绝缘罩 Insulation Cover



大号母猪饮水盆 Water bowl for sow(big)

Item No.	Size	Height	Thickness	Material	Weight	Carton size
W-ST01	29x21cm	15cm	1.0mm	SS304	1020g	20pcs/61x58x44cm

中号母猪饮水盆 Water bowl for pig(middle)

Item No.	Size	Height	Thickness	Material	Weight	Carton size
W-ST02	27x18cm	11cm	1.0mm	SS304	875g	30pcs/67x53x38cm

小号饮水仔猪盆 Drinking bowl for pig (small)

Item No.	Size	Height	Thickness	Material	Weight	Carton size
W-ST03	27x18cm	11cm	1.0mm	SS304	875g	30pcs/67x53x38cm

圆形不锈钢饮水碗 Stainless Water bowl for pig

Item No.	Size	Height	Material	Weight	Carton size
W-ST04	φ21cm	17cm	SS304	660g	36pcs/63x42x33cm
W-ST05	φ17.5cm	13cm	SS304	500g	40pcs/50x35x33cm
W-ST06	φ15cm	11cm	SS304	409g	50pcs/53x32x33cm
W-ST07	φ13cm	8cm	SS304	305g	50pcs/52x36x26cm

不锈钢牛用饮水碗翻盖 Stainless steel cow bowl(Flip cover)

Water inlet:1/2" stainless tube with plastic valve or brass valve

Item No.	Size	Thickness	Material	Weight	Carton size	Fittings
W-ST10	27x25x12cm	1.0-1.2mm	SS304	1.4kgs	10pcs/55x53x25cm	Plastic valve
W-ST10-1	27x25x12cm	1.0-1.2mm	SS304	1.5kgs	10pcs/55x53x25cm	Brass valve



不锈钢猪用饮水碗(小号) Stainless water bowl for piglet

- The water bowl can fixture on wall or fence
- Suitable for drinking water for baby pigs

Item No.	Material	Size	Thickness	Weight	Packing	Carton size
W-ST08	SS304	14.1x11x7.1cm	1.0mm	302g	50pcs/ctn	49x36x20cm

不锈钢猪用饮水碗(过滤污水)

- Stainless water bowl for pig with filter sewage
- The water bowl can fixture on wall or fence
- Suitable for drinking water for baby pigs

Item No.	Material	Size	Thickness	Weight	Packing	Carton size
W-ST09	SS304	22x15x28cm	1.0mm	905g		49x36x20cm

仔猪用饮水碗 Water bowl for piglet

Plastic bowl with stainless nipple drinker water inlet :G1/2"
Special: drinking for sheep or piglet

Item No.	Material	Size	Weight	Carton
W-PL01	Plastic	14x12x7cm	302g	49x36x20cm

羊用饮水碗 Plastic drinker bowl for sheep

1/2" stainless nipple drinker


Item No.	Material	Size	Weight	Carton
W-PL02	Plastic	19x18.5x10.5cm	540g	18x19cm

不锈钢牛用饮水碗固定盖 Stainless steel cow bowl(Fixed cover)

Water inlet:1/2" stainless tube with plastic valve or brass valve

Item No.	Size	Thickness	Material	Weight	Carton size	Fittings
W-ST11	27x25x12cm	1.0-1.2mm	SS304	1.4kgs	10pcs/55x53x25cm	Plastic valve
W-ST11-1	27x25x12cm	1.0-1.2mm	SS304	1.5kgs	10pcs/55x53x25cm	brass valve

耳标 Ear Tag



可选颜色
The color can choose

Material	Female Size	Male size	Material	Kind	Packing
M-ET01	429mm	429mm	TPU	RFID tag	
M-ET03	52x42mm	429mm	TPU	Safe tag	2500pcs/ctn
M-ET04	78x58mm	429mm	TPU	Safe tag	1000pcs/ctn
M-ET05	92x70mm	429mm	TPU	Safe tag	1000pcs/ctn
M-ET06	115x75mm	429mm	TPU	Safe tag	1000pcs/ctn
M-ET07	80x62mm		TPU	Shofar tag	
M-ET08	112x75mm		TPU	Shofar tag	
M-ET09	60x17mm	55x16mm	TPU		

Material	Size	Male size	Material	Kind	Packing
M-ET10	75x9mm	429mm	TPU	Ear tag	10000pcs/ctn
M-ET11	115x75mm	429mm	TPU	Ear tag	1000pcs/ctn
M-ET12	85x73mm	429mm	TPU	Ear tag	1000pcs/ctn
M-ET14	70x58mm	429mm	TPU	Ear tag	2000pcs/ctn
M-ET15	50x42mm	429mm	TPU	Ear tag	2500pcs/ctn

记号笔 Tag Pen



E-TP01
Color: Black
Size : 13.7x 4.13cm



E-TP02
Color: Black
Size : 13.7x 4.13cm



E-TP03
Color: Black
Size : 14.5x 4.13cm

记号蜡笔 Mark Stick



E-MK01
颜色/Color: 红/绿/蓝 Red/Green/Blue
尺寸/Size: 12x4.33cm
用途/Using: 猪临时标记用 Mark for pig
重量/Weight: 85g
纸箱/Carton: 288pcs; 12pcs/box
纸箱尺寸/Carton size: 57.5x34x27.5cm/26kgs



E-MK02
颜色/Color: 红/绿/蓝 Red/Green/Blue
尺寸/Size: 11.3x2.8cm
用途/Using: 猪临时标记用 Mark for pig
重量/Weight: 60g
纸箱/Carton: 432pcs; 24pcs/box
纸箱尺寸/Carton size: 57x38.5x26cm/27kgs

喷雾蜡笔 Spray Crayon



M-SC500
规格/Volume: 500ml
颜色/Color: 红/绿/蓝 Red/Green/Blue
尺寸/Size: 24x46.5cm
用途/Using: 猪临时标记用 Mark for pig

耳标钳 Ear Tag Pliers



E-TA04
自动回弹耳标钳
Automatic rebound ear Making Plier
Material: Aluminium metal And plastic



E-TA01
耳标钳
Ear Tag Pliers
Material: Aluminium metal



E-TA02
耳标钳
Ear Tag Pliers
Material: Aluminium metal



E-TA03
耳标钳
Ear Tag Pliers
Material: Aluminium metal



E-TA05
Automatic rebound ear making Plier
Material:Aluminium metal

耳标针 Ear tag pin



P01 P02 P03 P04 P05



E-TA06
自动回弹耳标钳
Automatic rebound ear making Plier
Material:Aluminium metal



E-TA07
自动回弹耳标钳
Automatic rebound ear making Plier
Material:Aluminium metal



LS701

LS701(GOLD)11.8

畜用加温灯/Brooder lamp
 *10"铝灯罩/10" Aluminum Reflector
 (D)260MM*250MM(H)
 *防水开关/Waterproof,Switch,CQC,6A 250VAC
 *瓷灯头/Porcelain Socket,E27,CQC,4A,750V
 *金属保护/Metal Cover,(D)260MM*82.5MM(H)
 *最大功率/Max 375W



LS702

LS702(GOLD)8.5

畜用加温灯/Brooder lamp
 *8.5"铝灯罩/8.5" Aluminum Reflector
 (D)220MM*250MM(H)
 *防水开关/Waterproof,Switch,CQC,6A 250VAC
 *瓷灯头/Porcelain Socket,E27,CQC,4A,750V
 *金属保护/Metal Cover,(D)220MM*82.5MM(H)
 *最大功率/Max 375W



LS703

LS703(GOLD)8.5

畜用加温灯/Brooder lamp
 *8.5"铝灯罩/8.5" Aluminum Reflector(D)210MM*250MM(H)
 *防水开关/Waterproof,Switch,CQC,6A 250VAC
 *瓷灯头/Porcelain Socket,E27,CQC,4A,750V
 *金属保护/Metal Cover,(D)210MM*82.5MM(H)
 *最大功率/Max 375W



LS704

LS704(GOLD)

兽用红外线保温灯/Veterinary infrared heat lamp
 *额定电压/Rated voltage: 220V-230V
 *额定功率/Rated power: □125W □150W □175W □200W □250W
 *使用范围/Application place: 室内 Indoor
 *灯头/Lampholder: E27陶瓷 E27 ceramic lampholder
 *温控开关/Temperature control switch:
 I档: 高温/High temperature
 O档: 关/Off II档: 低温/Low temperature
 *电线/Electric cable: H05VV-F2*0.75 长度/Length : 2.5M



LS706

LS706 Warmmer light for plant growth

One box contains a complete 1000W DE fixture including:
 1x professional 1000W dimmable high frequency digital ballast
 1x 1000W double ended electronic HPS lamp
 1x Replaceable miro aluminum reflector
 1x 2Meter Power cord



LB001

兽用红外线加热灯泡

RED HEAT Infrared light bulb
 BR40 120V 50Hz 250W
 E26 BASE BRASS
 Packing:1PC/White box/12pcs/carton
 CTN Size:48*36.5*18

LB002

PAR 38 红外线加热灯

PAR 38 Infrared light bulb
 HEAT LAMP RED 175WATT HARD GLASS
 120V 50Hz 175W / 120V 50Hz 100W
 E26 BASE BRASS
 Packing:1PC/White box/12pcs/carton
 CTN Size:48*36.5*18



LB003

兽用红外线加热灯泡

CLEAR HEAT Infrared light bulb
 BR40 120V 50Hz 125W
 E26 BASE BRASS
 Packing:1PC/White box/12pcs/carton
 CTN Size:48*36.5*18

LB004

兽用红外线加热灯泡

RED HEAT Infrared light bulb
 BR38 120V 50Hz 175W
 E26 BASE BRASS
 Packing:1PC/White box/12pcs/carton
 CTN Size:48*36.5*18



LB005

兽用红外线加热灯泡

RED HEAT Infrared light bulb
 BR40 120V 50Hz 250W
 E26 BASE BRASS
 Packing:1PC/White box/12pcs/carton
 CTN Size:48*36.5*18

LB006

兽用红外线加热灯泡


Infrared light bulb
 BR38 120V 50Hz 175W
 E26 BASE BRASS
 Packing:1PC/White box/12pcs/carton
 CTN Size:48*36.5*18



B-FF11070

▶复合实心塑料板Complex plastic floor

Material	Size	Style
plastic	110x70mm	Full



B-SF11050

▶复合塑料漏缝板Complex plastic slat floor

Material	Size	Style
plastic	110x50mm	Slat



B-SF11070

▶复合塑料漏缝板Complex plastic slat floor


Material	Size	Style
plastic	110x70mm	Slat



B-SF11070H

▶复合塑料漏缝板(加厚) Complex plastic slat floor(thicken)

Material	Size	Style
plastic	110x70mm	Slat



B-SF12060

▶复合塑料漏缝板Complex plastic slat floor

Material	Size	Style
plastic	120x60mm	Slat



B-SF6060-2

▶塑料漏缝板 plastic slat floor

Material	Size	Style
plastic	60x60mm	Double line



B-SF5060-2

▶塑料漏缝板 plastic slat floor

Material	Size	Style
PP	50x60mm	Double line



B-SF4060-2H

▶塑料漏缝板(加厚) plastic slat floor (thicken)

Material	Size	Style
PP	40x60mm	Double line



B-FF4060

▶塑料实心板plastic floor

Material	Size	Style
PP	40x60mm	Full



B-FF6060

▶塑料实心板plastic floor

Material	Size	Style
PP	60x60mm	Full



B-SF5060-1

▶塑料漏缝板 plastic slat floor

Material	Size	Style
PP	50x60mm	Single line



B-SF6070-2

▶羊用塑料漏缝板 plastic slat floor for sheep

Material	Size	Style
PP	60x70mm	Double line



B-FF5060

▶塑料实心板plastic floor

Material	Size	Style
PP	50x60mm	Full



B-SF4060-1

▶塑料漏缝板 plastic slat floor


Material	Size	Style
PP	40x60mm	Single line



B-SF6060-1


▶塑料漏缝板 plastic slat floor

Material	Size	Style
PP	60x60mm	Single line



▶玻璃钢梁 Glass steel beam

Item No.	Material	Height
GB110	Glass steel	110mm
GB120	Glass steel	120mm



Model	Material	Total length	Diameter
T-2C03	SS304	1000mm	21mm

Model	Material	Total length	Diameter
T-1010Y	SS304	1010mm	21mm

Model	Material	Total length	Diameter
T-2C04	Galvanized metal	1000mm	21mm

Model	Material	Total length	Diameter
T-1100Y	SS304	1100mm	21mm

Model	Material	Total length	Diameter
T-2C05	SS304	1000/750mm	21mm

Model	Material	Total length	Diameter
T-Y01	SS304	620mm	21mm

Model	Material	Total length	Diameter
T-040U	SS304	400mm	21mm

Model	Material	Total length	Diameter
T-1C01	SS304	1000/750mm	21mm

Model	Material	Total length	Diameter
T-050U	SS304	500mm	21mm

Model	Material	Total length	Diameter
T-1C02	SS304	1000/600mm	21mm

Model	Material	Total length	Diameter
T-060U	SS304	600mm	21mm

Model	Material	Total length	Diameter
T-2C06	SS304	1000/630mm	21mm



F-P001
仔猪喂料桶 Piglet feeder
容量：10kgs

ref.no	Capacity	Material	Special	Size	Weight	📦
F-P001	10kgs	Plastic	Use for piglet	43x47x78cm	4.2kgs	2PCS/CTN

F-P002
仔猪喂料桶 Piglet feeder
容量：5kgs

ref.no	Capacity	Material	Special	Size	Weight	📦
F-P002	5kgs	Plastic	Use for piglet	34x34x64cm	2.5kgs	2PCS/CTN

F-ST01
不锈钢喂食盘
Feeder pan
Material: stainless steel

ref.no	Diameter	High	weight	📦
F-ST01	250mm	62mm	750g	24PCS/75x51x36cm

F-ST02
不锈钢喂食盘
Feeder pan
Material: stainless steel

ref.no	Diameter	High	weight	📦
F-ST01	290mm	70mm	1110g	18PCS/83x58x36cm



F-SP01
Feeder for sow



F-ST05
Feeder for sow



F-ST06
Feeder for sow



F-ST07
Feeder for sow



F-ST08
Feeder for sow



F-ST09
Feeder for sow

Item No.	Size	Tube Dia	Thickness	Material	Weight	Packing
S-CN60	49x34cm	60mm	1.0mm	SS304	5180g	
F-ST05	48x40x24cm		1.2mm	SS304	3065g	pallet
F-ST06	46x37x23cm		1.0mm	SS304	2035g	pallet
F-ST07	48x40x25cm		1.4mm	SS304	4270g	pallet
F-ST08	48x43x29cm		1.4mm	SS304	4620g	pallet
F-ST09	43.8x35cm		1.4mm	SS304	5790g	pallet
F-SP01	45x36.5x22cm		10mm	PP/SS304	3650g	pallet



Feeder for pig F-ST10
Size: 103x22x9cm
Material: SS304 Weight: 3100g



Stainless Sink W-SS100
Size: 100x30x18cm
Material: SS304
The size can do as customer request



S-CN60
Feeding Ling Corner



ND820



ND801



ND822-1



ND802



ND803



ND805

▶ 不锈钢猪用饮水器 Stainless steel nipple drinker

ref.no	body length	Pin inlet/Φdrinker	ΦPressure cone	Weight
ND820	55mm	5mm 1/2"	21mm	61g
ND801	63.5mm	8mm 1/2"	21mm	87g
ND822-1	72mm	8mm 1/2"	3/4"	135g

▶ 不锈钢猪用饮水器 Stainless steel nipple drinker

ref.no	body length	Pin inlet/Φdrinker	ΦPressure cone	Weight
ND802	63.5mm	8mm 1/2"	22mm	86g
ND803	63.5mm	8mm 1/2"	22mm	86g
ND805	55mm	5mm 1/2"	16mm	54g



ND808



ND810-1



ND813

▶ 不锈钢猪用饮水器 Stainless steel nipple drinker

ref.no	body length	Pin inlet/Φdrinker	ΦPressure cone	Weight
ND808	46mm	12mm 1/2"	18.5mm	80g
ND810-1	31mm	8mm 1/2"	18.5mm	57g
ND813	35mm	8mm 1/2"	22mm	65g



ND835-1



ND835-2



ND835-3

▶ 不锈钢猪用饮水器 Stainless steel nipple drinker

ref.no	body length	Pin inlet/Φdrinker	ΦPressure cone	Weight
ND835-1	115mm	16mm 1/2"	28mm	222g
ND835-2	79mm	14mm 1/2"	21mm	98g
ND835-3	63.5mm	12mm 1/2"	18mm	77g



Item No.	Material	Size	Packing
W-SC01	Plastic	Φ14x20.5cm	50pcs/CTN



Item No.	Material	Size	Packing
W-SC02	Plastic	Φ14x20.5cm	50pcs/CTN



Item No.	Material	Size	Packing
W-SC03	Plastic	Φ15.5x21cm	50pcs/CTN



Item No.	Material	Size	Packing
W-SC04	Plastic	Φ16x23cm	50pcs/CTN



W-ST12

W-ST13



W-ST14

W-ST15

W-ST16

不锈钢方盆 Stainless steel water bowl
Assembled with water level controller

Item No.	Material	Size	Thickness	Weight
W-ST12	SS304	30x20x7cm	1.0mm	0.60kgs
W-ST13	SS304	19.5x17.5x7.5cm	1.0mm	0.45kgs
W-ST14	SS304	30x20x8cm	1.0mm	0.48kgs
W-ST15	SS304	34x21x9cm	1.0mm	0.93kgs
W-ST16	SS304	40x22x9cm	1.0mm	1.0kgs



W-ST17



W-ST18

不锈钢饮水盆 Stainless drinking bowl
Assembled with water level controller

Item No.	Material	Size	Thickness	Weight
W-ST17	SS304	51x29x8cm	1.0mm	1.34kgs
W-ST18	SS304	38x22x7cm	1.0mm	0.58kgs

水位器安装说明

- 首先拆开水位器的连接头，将3个连接配件按照顺序装在不锈钢管的顶端，然后将水位器套在管子上，拧紧连接盖并固定好位置。
- 水位器背后的开关阀可以拆开，只要拔掉卡件就可以。拆开水位器背后的水管接口，将白色连接盖先套入水管，然后将水管插入水位器的连接口，最后拧紧连接盖。打开开关阀，拧开水龙头就可以正常工作。
- 水盆内水位高低可以根据要求调整。

注意事项:


- 确定水中无杂质或其他添加剂造成堵塞。
- 做好产品的紧固，防止产品受力造成破损。
- 确保水压在1.2bar以上，水压过低或过高容易导致水位控制器功能失效。
- 确保水位控制器紧固器已拧紧。
- 塑料堵头，上下连接管与水位控制器连接时确保拧紧。
- 不锈钢管末端距水盆距离可以调节。
- 确保水位控制器塑料软管的总长度不低于60CM，确保软管末端距不锈钢管出口处有20CM距离。

Water level controller Assemble

- First disassemble the connector part of water level controller, packing 3connector part on the stainless tube top as sequence, then put the water level controller on tube, screw the connector cap and let the controller on correct direction.
- The switch valve of water bowl controller can disassemble ,just take the stuck part out.
- Disassemble the connector for water pipe ,take the connector cap to pipe first ,then insert the pipe to connector ,screw the connector cap .
- Open the switch valve, open faucet to work properly.
- The level of water in the basin can be adjusted according to the requirements.

Notes:

- Ensure that no Impurities or other additives in the water cause clogging.
- Good fastening for product to prevent damage caused by pressure.
- To ensure that the water pressure above 1.5bar,water pressure is too low or too high easily lead to water level controller function failure.
- Make sure that the water level controller fastener is tightened.
- Plastic plug,connecting pipe and water level controller to ensure tight connection.
- The bottom of the stainless steel tube from the water pen can adjust.
- Ensure that the total length of plastic soft tube for thewater level controller is not less than 60cm,to ensure that soft tube have 20cm distance from the end of the stainless steel tube.



T-ST075



T-ST100



T-ST120

不锈钢直管 Stainless tube

The length can do as customer request.

Item No.	Material	Total length	Diameter
T-ST075	SS304	75mm	21mm
T-ST100	SS304	100mm	21mm
T-ST120	SS304	120mm	21mm




HK01

▶ 小猪绑定绳 Hook for piglet
Material: SS304
Size: 67cm
Wire Rope: 60cm



HK02

▶ 小猪绑定绳 Hook for piglet
Material: SS304
Size: 30cm
Wire Rope: 86cm



HB01

▶ 赶猪板 Hog board
小号: HB01 760mmx450mm
中号: HB02 940mmx760mm
大号: HB03 1200mmx760mm
Material: PE

HB02

HB03



PR01

▶ Play Ring for piglet
Material: metal and plastic



TC001

电热剪尾钳 Electricity tail cutoff plier
Material: Stainless and plastic
Voltage: 220V/120V



EN001

耳缺钳 Ear Notcher
Material: stainless-steel



PH001

打孔钳 Puncher
Material: Zinc Alloy



TN001

剪牙钳(小号)
Tooth nipper
Material: stainless-steel



TN002

剪牙钳
Tooth nipper
Material: stainless-steel



SP001

铝合金料勺
Aluminium alloy spoon
Material: Aluminium alloy



ES001

电子赶猪棒
Electronic catch pig stick



Item No.	Material	Handle Size	Pole length	Total length
ES001	PVC	27cm	38.5cm	65.5cm
ES002	PVC	27cm	59cm	86.5cm
ES003	PVC	27cm	83.5cm	111cm
ES004	PVC	27cm	98.5cm	126cm

双核制冷技术

Dual-core Refrigeration Technology

所谓双核制冷技术是冰箱内部附带有2个工作系统，比普通的电子冰箱制冷效果强大，双核制冷技术在当前半导体电子冰箱里面是制冷快，效果强大的技术。

The so-called dual core refrigeration technology is the refrigerator with two working systems inside, refrigeration effect is stronger than the ordinary electronic refrigerator, dual core refrigeration technology in the current semiconductor electronic refrigerator is fast refrigeration, the effect of powerful technology.



E-CL012

▶ 双核半导体精液恒温箱
Dual core semiconductor semen thermostat

Material	ABS
Voltage	Car (DC)12V-24V Home 220V
Power	Cooler 75W Hot 65W
Weight	6KGS
Size	41.5x29x28cm



I-CL002

▶ 疫苗保温杯 Vaccine cooler

Material	PP-EPS-PP
Outer size	140(D)x260(H)mm
Inner size	120(D)x240(H)mm
Net weight	450g
Volume	2L
Packing	12pcs/carton
Carton size	460x310x540mm



▶ 冷藏箱 Cool Box

Model	I-CL006	I-CL016	I-CL025	I-CL030
Material	HDPE-EPS-PP	HDPE-EPS-PP	HDPE-EPS-PP	HDPE-EPS-PP
Outer size	325x190x225mm	442x224x251mm	490x275x285mm	505x280x315mm
Inner size	270x145x175mm	355x178x203mm	415x230x210mm	415x235x265mm
Net weight	0.85kg	1.9kg	2.25kg	2.5kg
Volume	6L	16L	25L	30L
Packing	8pcs/Carton	4pcs/Carton	1pcs/Carton	1pcs/Carton
Carton size	660x390x455mm	475x435x530mm	505x305x345mm	515x290x325mm

不锈钢多位食槽 Stainless Steel Multi-slot Food Trough



F-ST12-1

Single Feed Trough

Material: SS304/SS201

Fatten style size: 1500x450x900mm/ 5 divide
1250x450x900mm/ 5 divide
1040x450x900mm/ 4 divide
900x450x900mm / 3 divide
Conservation style size: 900x350x550/ 5 divide
700x350x550/ 4 divide
600x350x550/ 3 divide

F-ST12-2

Double Feed Trough

Material: SS304/SS201

Fatten style size: 1500x735x900mm/ 10 divide
1250x735x900mm/ 10 divide
1040x735x900mm/ 8 divide
900x735x900mm / 6 divide
Conservation style size: 900x470x550/ 10 divide
700x470x550/ 8 divide
600x470x550/ 6 divide




F-ST15

Double Feed Trough

Material: SS304/SS201

Fatten style size:
1500x735x900mm/ 10 divide
1250x735x900mm/ 10 divide
1040x735x900mm/ 8 divide
900x735x900mm / 6 divide
Conservation style size:
900x500x550/ 10 divide
700x500x550/ 8 divide
600x500x550/ 6 divide



M-NS150 Non-slip Mate

Material: rubber Size: 100x150cm Thickness: 1cm/2cm



DM701 Dummy sow



9DQ-10 Debeaking machine with record

9DQ-4B Debeaking blade



9DQ-4 Debeaking machine

9DQ-10B Debeaking blade

Voltage: 220V/110V+ 10%
Power consumption: 220W ~ 250W
Knife temperature: 750 C ~ 950c
Knife Red Hot time: -30 seconds
Debeak rate: The fastest 1800 birds / hour
Dwell bleeding time: 0-4 seconds



F-DW100

**干湿喂料桶
Dry and wet feeder for pig**

F-DW100
capacity: 100kgs/75kgs
stainless steel bottom: 64*45*10cm
galvanized steel shelf: 110*20*5cm
φ26/28 stainless tube can choose
Size: 78*78*116cm
packing with separate
容量: 100kg/50kg



F-DW110

F-DW110
capacity: 110L
stainless steel bottom: 64*45*10cm
Size: 64*86*112cm
packing with separate
容量: 100kg

IC001 Insulation cover

Material: glass metal
Size: 1280x420x100mm

